



AUN/SEED-Net



## Proceedings of

Regional Conference on Computer  
and Information Engineering 2014



# RCCIE 2014

“Enhancement of Communication  
and Information Engineering Research  
through University-Industry Collaboration  
Toward Sustainable Development  
in ASEAN Countries”

Eastparc Hotel, Yogyakarta  
7-8 October 2014

Proceedings of Regional Conference on Computer and Information Engineering 2014



**PROCEEDINGS OF  
REGIONAL CONFERENCE ON  
COMPUTER AND INFORMATION  
ENGINEERING**

Yogyakarta, 7 – 8 October 2014

## ORGANIZER

### Honorary Chairs

**Panut Mulyono**, Universitas Gadjah Mada, Indonesia  
**Chitoshi Miki**, AUN/SEED-Net  
**Lukito Nugroho**, Universitas Gadjah Mada, Indonesia

### International Steering Committee

**Anantawat Kunakorn**, King Mongkut's Institute of Technology Ladkrabang, Thailand  
**Jun Miura**, Toyohashi University of Technology, Japan  
**Junichi Takada**, Tokyo Institute of Technology, Japan  
**Kazuhiko Hamamoto**, Tokai University, Japan  
**Tokumitsu Kobayashi**, AUN/SEED-Net  
**Hanung Adinugroho**, Universitas Gadjah Mada, Indonesia  
**Somsak Choomchuay**, King Mongkut's Institute of Technology Ladkrabang, Thailand  
**Takao Onoye**, Osaka University, Japan  
**Tran Khanh Dang**, National University of Ho Chi Minh City, Vietnam  
**Yoshikazu Miyanaga**, Hokkaido University, Japan

### General Chair

**Adha Cahyadi**, Universitas Gadjah Mada, Indonesia

### General Co-chair

**Don Isarakorn**, King Mongkut's Institute of Technology Ladkrabang, Thailand

### Technical Program Chairs

**I Wayan Mustika**, Universitas Gadjah Mada, Indonesia  
**Eka Firmansyah**, Universitas Gadjah Mada, Indonesia  
**Taworn Benjanarasuth**, King Mongkut's Institute of Technology Ladkrabang, Thailand

### Finance Chairs

**Iswandi**, Universitas Gadjah Mada, Indonesia  
**Isnaeni**, Universitas Gadjah Mada, Indonesia

### Publication Chair

**Prapto Nugroho**, Universitas Gadjah Mada, Indonesia

### Secretariat Office

**Indriana Hidayah**, Universitas Gadjah Mada, Indonesia  
**Lilik Suyanti**, Universitas Gadjah Mada, Indonesia

### Organized by:

Universitas Gadjah Mada, Indonesia

### Co-organized by:

AUN/SEED-Net  
King Mongkut's Institute of Technology Ladkrabang, Thailand

**Technical Collaboration with:**

LPPM, Universitas Gadjah Mada, Indonesia  
Indonesian Soft-Computing Society

**Supporting organizations:**

Tokai University, Japan  
Hokkaido University, Japan  
Toyohashi University of Technology, Japan



12.	MI51	Intersection Technique for Improvement 3D Fingerprint Information Supported Indoor Localization System by using RFID Technology <i>Sisongkham Phimmasean, Somephone Kanthavong, and Manolom Chanthavong</i>	65
13.	MI8	Automatic Detection Algorithm of Dairy Cows in Freestall Barns using Feature Points Matching <i>Suthasinee Nopparit, Natapon Pantuwong, and Kitsuchart Pasupa</i>	70
14.	ID2	Computer Vision based Analysis for Cursor Control using Object Tracking and Color Detection <i>Dion Firmanda and Dadet Pramadihanto</i>	75
15.	MI3	GLCM Feature Extraction and K-Means Classification Method on Mammogram Image <i>Erna Alimudin and Hanung Adi Nugroho</i>	82
16.	ID21	License Vehicle Plate Character Segmentation Based on Combination Adaptive Thresholding with Indexing <i>Bain Khusnul Khotimah and Haryanto</i>	87
17.	MI39	Modified Selective Colour Image Encryption Scheme Using Logistic Map for Key Generation <i>Nilar Thein, I Wayan Mustika, and Hanung Adi Nugroho</i>	92
18.	MI40	A Combination Algorithm of Image Mosaicing with Distortion Removal Based on SURF <i>Muhammad Faris, Muhammad Abdurrohman, Ahmad Ataka Awwalur Rizqi, Dyah Anggun Sartika, and Adha Imam Cahyadi</i>	97
19.	ID6	Vowel Pronunciation in Indonesian Language Recognition Using The Width and The Height of The Lips <i>Ratnadewi and Dearn Happy</i>	101
20.	MI17	Application of speech technologies for Vietnamese language on smartphone Vietnamese Voice Assistant system (VIVA) <i>Do-Dat Tran and Dang-Khoa Mac</i>	107
21.	ID20	Feature Extraction for Hand Shape Recognition by Using IP Camera <i>Muhammad Ihsan Zul</i>	112
22.	ID23	Frame Differencing Motion Detection for Madura Batik Virtual Fitting Room <i>Rima Tri Wahyuningrum, Yonathan Ferry Hendrawan, Indah Agustien Siradjuddin, Arik Kurniawati, and Ari Kusumaningsih</i>	116
23.	MI31	Skin and Porn Classifications Based GLCM Textures Features and Localization based it Biggest Contours <i>Fauzi Azzuhry Rahadian, Hanung Adi Nugroho, and Teguh Bharata Adji</i>	120
24.	MI18	Dynamic States Viterbi Decoder Architecture Based on Systolic Array <i>Ahmad Zaky Ramdani and Trio Adiono</i>	126
25.	MI33	Lagrange Interpolation Application On Even Size Median Filter Window <i>Dhimas Arief Dharmawan, Guntur Utomo Prasetya, Noor Akhmad Setiawan, and Eny Sukani Rahayu</i>	130
26.	MI46	Wide Tuning Range CMOS Digitally Controlled Ring Oscillator <i>Prpto Nugroho</i>	134
27.	MI13	Detection and Identification of Detonation Sounds in a Petrol Engine Using Active Filter and Regression Envelope Function <i>Agus Sujono, R. Soekrisno, Eka Firmansyah, and Oyas Wahyunggoro</i>	138
28.	MI44	Statistical Texture Feature Extraction for Industrial Radiographic Weld Defect Identification <i>Muhtadan, Risanuri Hidayat, Widyawan, and Fahmi Amhar</i>	144

# Frame Differencing Motion Detection for Madura Batik Virtual Fitting Room

Rima Tri Wahyuningrum  
Informatics Departement  
University of Trunojoyo Madura  
Bangkalan, Indonesia  
rima\_tw@yahoo.co.id

Yonathan Ferry Hendrawan<sup>1</sup>, Indah Agustien  
Siradjuddin<sup>2</sup>, Arik Kurniawati<sup>3</sup>, Ari Kusumaningsih<sup>4</sup>  
<sup>1,2,3,4</sup>Informatics Departement  
University of Trunojoyo Madura  
Bangkalan, Indonesia

**Abstract**—Batik is one of traditional heritage from Indonesia, and the pattern of batik in each region of Indonesia is unique and represents the characteristic of the region, such as the Madura batik. Currently, the sale of Madura batik is growth increasingly, since the existence of Suramadu Bridge and the use of information technology by the Madura batik supplier, for instance, social media and e-commerce. The use of Augmented Reality for the Virtual Fitting Room is proposed in this research. The Virtual Fitting Room can be embedded in the e-commerce website, hence, the consumers are able to see, whether the Madura batik cloth is suited for them or not. This research applies the motion detection using frame differencing for the embedding of the Madura batik cloth to the body of consumer. The use of the current information technology, i.e. augmented reality for the virtual fitting room will introduce the Madura batik broadly.

**Keywords**—virtual fitting room, augmented reality, motion detection, frame differencing

## I. INTRODUCTION

Batik is originally one of the heritages of Indonesia, and UNESCO has decided that Indonesia Batik is Masterpieces of the Oral and Intangible Heritage of Humanity [1]. Pattern and color of Indonesia batik are varied. Based on the *batik spirit of Indonesia* [2], there are at least 181 batik patterns in Indonesia. Each region has its own Batik pattern, and the pattern represents the characteristic of the region, for instance is Madura Batik. The Madura Batik has unique characteristics; they are the color and the motif of the batik. Madura Batik has bright and various color, such as red, yellow, green, and blue as seen in Fig. 1 [3].

Currently, batik is interested product by a lot of people in the world because of the uniqueness of the pattern. In order to promote batik continually, and since the pattern of batik grows increasingly, hence many batik stores do the promotion online. They are using the online media, such as Facebook, Twitter, Instagram, online stores, and e-commerce. The use of the online media makes the batik store updates batik product easily. The online media also make the transaction between the consumer and the stores easier, since the consumer can choose the product without necessarily come to the store.

Madura is also known as the region in Indonesia, that has a unique pattern for the batik. Because of the Suramadu Bridge, the sale of Madura batik is growth increasingly. Many domestic and international tourists bought batik from Madura when they visited Madura. This situation makes local batik store from Madura realize that Madura batik is an interesting product for the consumer; therefore the local stores also use online media to promote their batik product, such as e-commerce. The example of e-commerce of Madura batik can be seen in Fig. 2.



Fig. 1. Madura Batik



Fig. 2. [www.batik-wismaannisa.com](http://www.batik-wismaannisa.com) [4]

The promotion of Madura batik can be improved using the information technology, i.e. augmented reality. Augmented reality can be used to build virtual fitting room. Hence, the consumers can try the clothes and see whether the color, the pattern, and the model of batik clothes are suited for them. This virtual fitting room can be embedded to their system, such as web site, e-commerce, etc. Virtual fitting room for Madura batik is proposed in this research. The remainder paper is organized as follows; augmented reality is explained in the second section, and the third section described virtual fitting room for Madura batik in this research. The fourth and

fifth sections are about the experiment and the conclusion section.

## II. AUGMENTED REALITY

Augmented reality is a technology that combines objects from the real world and objects from a virtual world such that the boundary between those worlds is vague [5]. This Augmented reality is different compare to the virtual reality. In a virtual reality, all objects are not real (virtual), meanwhile in the augmented reality, virtual objects and real objects are combined. In the ideal environment of augmented reality, the real objects and virtual object can't be distinguished as seen in Fig. 3. Fig. 3 shows that there are two real objects (desk and telephone), and three virtual objects (lamp and two chairs) are in the same 3D environment, and can't be distinguished. Therefore, augmented reality is known as a connector between the virtual world and real world [6]



Fig. 3. Real objects and virtual objects are in the same environment [5].

To embed virtual objects in the 3D environment, marker is required as seen in Fig. 4; hence, the virtual objects and real objects can be combined. The virtual objects move wherever the marker moves as shown in Fig. 5.




Fig. 4. Example of marker in Augmented Reality




Fig. 5. Augmented reality with marker

The marker for augmented reality can be an image that has a unique pattern as seen in Fig. 4 (chessboard) or some point in the real environment (markerless). In this research, the

augmented reality that is built for the virtual fitting room is markerless. Hence, in this virtual fitting room, an image with a unique pattern is not required.

## III. VIRTUAL FITTING ROOM

In the clothing stores, fitting room is available in the stores. Hence, the customers can try the clothes and see whether the clothes are suited to them or not. Nowadays, the existence of some clothing stores are replaced by the virtual store, i.e. online stores. The customers can buy the clothes without necessarily come to the stores. Apparently, with the online stores, the customers aren't able to see whether the clothes are suited to them. Therefore, this research proposed the virtual fitting room for the online stores, especially for the Madura batik stores. Combining virtual objects in real objects or known as augmented reality is used to build the virtual fitting room. This research used marker less augmented reality.

Marker that is used for embedding virtual clothes in the real object is the location of the body of the consumer. Hence, the detection process of the body is required in this research. Frame differencing is used to detect the location of body, with the assumption that the only moving object in the video is the body of the consumer. In this method, every pixel in a current frame is verified, whether this pixel is changed compared to the reference frame. If the pixel is changed, then the pixel is identified as the moving pixel. Usually, the first frame is used as a reference frame [7]. In the verification process, the difference between pixels in the current frame and reference frame is calculated. If the result is bigger than the threshold value, then the pixel is detected as motion pixel. The process is shown in Eq. 1.

$$D(x, y, t) = F(x, y, t) - F_0(x, y) \begin{cases} \text{if } D(x, y, t) > Th & \text{then set foreground} \\ \text{if } D(x, y, t) \leq Th & \text{then set background} \end{cases} \quad (1)$$

where  $F(x,y,t)$  is a pixel value on  $(x,y)$  in frame  $t$ , and  $F_0(x,y)$  is the pixel on  $(x,y)$  in the reference frame.

There are four steps to build virtual fitting room in this research as seen in Fig. 6.




Fig. 6. Diagram for the virtual fitting room.

The first step for building the virtual fitting room is motion detection. In this research, the motion detected by the frame differencing method. This research assumes that the only moving object in the data is the body of the consumer itself. The reference frame that is used in the experiment is the image without the appearance of the body of the consumer. The

example of the reference frame and the current frame can be seen in Fig. 7. The difference between each pixel in the current frame and reference frame is calculated, and the result of the difference is used as the detected motion of the data input.



Fig 7. Reference frame (left), current frame (middle), and detected motion (right) of data video

The second step is identifying the Region of Interest (ROI) of detected motion. Since the augmented reality in this research is markerless, then the body of the consumer is used as a marker. The ROI of the body is used as marker, and the virtual clothes are embedded to this ROI. ROI is obtained by finding the outermost pixel of detected motion. The outermost pixels of detected motion are outer left pixel, outer right pixel, outer top pixel, and outer bottom pixel. These pixels are used to determine the ROI as seen in Fig. 8. Fig. 8 shows the ROI in the detected motion. Red rectangle that is shown in the figure is the ROI of detected motion. This rectangle is built by four outermost pixel of the detected motion (left, right, top, and bottom pixels).




Fig. 8. ROI of the detected motion

The third step is resizing and moving the clothes based on ROI. Hence, the virtual clothes are fitted with the body of the consumer. The last step of this virtual fitting room is superimposing virtual clothes to the data video. The virtual clothes are embedded or superimposed to the detected body of the consumer.

IV. EXPERIMENTS AND DISCUSSION

Virtual clothes are required for the experiments. This research focuses on Madura batik. There are four Madura batik that are used in the experiment as seen in Fig. 9. The virtual clothes are made based on these batiks. The virtual

clothes of Madura batik are depicted in Fig. 10. In the experiment, two persons were trying the virtual clothes using virtual fitting room. Each person tried 4 virtual clothes in the virtual fitting room; therefore, there are 8 experiments in the proposed virtual fitting room.



Fig.9 Madura Batik



Fig. 10. Virtual clothes from Madura batik



Fig. 11. Virtual fitting room with Madura batik clothes

ROI of the body of the consumer that is obtained from the motion detection process is used as a marker in virtual fitting room. The marker is used to determine the location of the virtual clothes, i.e., Madura batik clothes.

The virtual fitting room for Madura batik clothes is shown in Fig. 11. Fig. 11 shows that the size and location of virtual batik clothes be matched with the size and location of the body from the consumer. The virtual clothes move wherever the body of the consumer moves. The size of the virtual clothes is resized base on the size of the detected body of the consumer.

## V. CONCLUSION

Virtual fitting room for Madura batik clothes in this research can be embedded to the online store of Madura batik. The experiments show that the virtual clothes can move wherever the body of the consumer moves. This virtual fitting room features for the online store makes the consumer easier to identify whether the clothes in the online stores are suited to them or not, hence in the future this feature increase the sale of Madura batik and promote the Madura batik broadly.

## **Acknowledgment**

This research is funded by Directorate General Higher Education

## **References**

- [1] UNESCO, <http://www.unesco.org/culture/ich/index.php?RL=00170>, accessed on January, 15, 2014.
- [2] Achjadi, J., 1999. Batik Spirits of Indonesia. Yayasan Batik Indonesia, PT. Buku Antar Bangsa
- [3] [www.batik-wismaannisa.com](http://www.batik-wismaannisa.com), accessed on February, 2, 2014.
- [4] Batik Madura: Menemukan Kain Batik Gentongan yang Cerah dan Unik, <http://www.indonesia.travel/id/destination/512/sumenep/article/103/batik-madura-menemukan-kain-batik-gentongan-yang-cerah-dan-unikm>, accessed on September, 7, 2014
- [5] Azuma, R.T.1997.A survey of augmented reality, Teleoperators and Virtual Environments, Vol. 6, No. 4.
- [6] Milgram, P., Takemura, H.,Utsumi, A.,Kishino,F.1994. Augmented reality: A class of displays on the reality-virtuality continuum. SPIE Proceedings Vol. 2351:Telemanipulator and Telepresence Technologies.Boston, MA
- [7] Martinez-Martin E., Pobil, A.P.d., Robust Motion Detection in Real-Life Scenarios, Springer, 2012.